

## SPECIFICATIONS

Standard ESD chair, covered with high quality, conductive vinyl fabric. The chair has a five-branched base made of chromium-plated steel. It ensures high stability and unfilling removal of electrostatic charges. The seat and the backrest are made of high elastic foam. The backrest can be adjusted in three planes. Height adjustment can be achieved thanks to a gas column, providing three chair heights to choose from. The chair can be equipped with conductive wheels or sliding glides and additional accesories. The chair has a certificate of saftey and ergonomics of use.



- Seat height adjustment range: 570-770mm
- Warrenty - 2years
- Conductive wheel with tyre
- Metal wheel
- Conductive Glide
- Foot ring
- Wheel with break
- Armrest ESD black
- Armrest ESD chrom

## TECHNICAL DATA

Resistance to groundable point RG	$10^6 - 10^8 \text{ Ohm}$
Fabric resistance point to point RP	$10^5 - 10^6 \text{ Ohm}$
Seat height adjustment range (mm)	505-630 or 570-770 or 675-915 *toleraton of $\pm 2 \text{ cm}$
Seat size (mm)	440 x 460
Backrest size (mm)	430 x 500
Fabric abrasion resistance	60 000 cycles
Chair comply with the standard	EN 61340-5-1, PN-EN 1335-1:2004, PN-EN 1335-2:2009, PN-EN 1335-3:2009, PN-EN 10222:2007
Fabric comply with the standard	EN 1021-1-1, EN 1021-1-2, BS 7176

### Adjustment functons

